

CYBEART


ARTEMIS

USER MANUAL



2.4G

Product Preview



- 1** Left Click **2** Right Click **3** Roller **4** Forward
5 Backward **6** Power Switch **7** DPI **8** Type-C interface

Connection of the mouse

Wired connection

Plug and play

Dongle 2.4G Wireless connection

- Remove the cable from the mouse, push the mouse power switch up enter the 2.4G wireless mode.
- The indicator flashes green, plug in the 2.4G receiver, then the indicator light off.
- The mouse can be used normally in wireless mode after connected.
- If you cannot connect based on the above operations, please try pairing. Long press the left button+right button+roller button 3 seconds, and the green light flashes quickly. After the pairing is successful, the green light will turns off.

Bluetooth Wireless Connection

Dongle 2.4G Wireless connection

- Remove the cable from the mouse, push the mouse power switch down enter the Bluetooth mode.
- Find the BT name "Artemis "on the computer.
- And the blue light will turns off after connection successful.
- If you cannot connect based on the above operations, please try pairing. Long press the left button+right button+roller button 3 seconds,and the blue light flashes quickly. After the pairing is successful, the blue light will turns off.

Features

- Replacing battery gaming Mouse with painting surface.
- Polling rate: Max 1000Hz for wired version and 2.4G wireless version.And 125Hz for Bluetooth version.
- DPI levels indicator light:
Six levelsDPI switched by DPI button: 800(Yellow)/ 1600(Blue)/ 2400(Purple)/ 3200(Green)/ 6400(Red)/ 12000(Cyan)

Low power indicator :
 - When the battery is low, the indicator of mouse will flash red.
 - The indicator light will red when charging.
 - The indicator light will off when charging is completed.

Specification Parameters

Detailed Specification

Connectivity	Wired+wireless 2.4G+ BT5.1 Tri mode mouse
Keys	5 Keys (Left, Right, Roller, Forward, Back)
Sensor	Pixart 3311 sensor
Battery	Lithium battery 300mA (extra 300mAh)
Switch	Kailh 80 million clicks

Acceleration	35G
Shift Speed	300IPS
Material	ABS material injection
Cable	1.8 M Black paracord cable
Feet	Teflon Feetpads

Product size and weight

Dimension	125X63X38mm
Weight	52±5g (Include battery).

Voltage and current

Connection	Wired 2.4G Wirelss, BT5.1
Current	$3.7V \leq 6mA$

Supporting System

Windows /Linux/Android/Mac
